




1) Complete the missing parts of each table.

Calculation	Place Value Counters	Part-Whole Model				
$63 \div 3 =$ 	<table><tr><th>T</th><th>O</th></tr><tr><td> 10 10 10 10 10 10 </td><td> 1 1 1 </td></tr></table>	T	O	10 10 10 10 10 10	1 1 1	$63 \div 3 =$ $60 \div 3 =$ $3 \div 3 =$
T	O					
10 10 10 10 10 10	1 1 1					
$88 \div 4 =$ 	<table><tr><th>T</th><th>O</th></tr><tr><td></td><td></td></tr></table>	T	O			$\div$ $=$ $\div$ $=$ $\div$ $=$
T	O					
$\div$ $=$	<table><tr><th>T</th><th>O</th></tr><tr><td> 10 10 10 10 </td><td> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 </td></tr></table> 10	T	O	10 10 10 10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\div$ $=$ $40 \div 4 =$ $16 \div 4 =$
T	O					
10 10 10 10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					

2) Use the part-whole models to find the missing numbers.



3) Michael, Xavi, Sari and Jess are at a party. They must share all of the food equally between them. How many of each item can each child eat?

48 slices of pizza

52 biscuits

16 sandwiches

92 grapes
